

PROJECT:	PREPARED BY:	
PART #	QTY:	
NOTES:	DATE:	



# **DTN Series TRACK LIGHTING**





- 1. Family(G2) series.
- 2. 15W&20W, 30W,40W with different sizes.
- 3. Beam angle: 15D/24D/38D/60D;
- 4. Color in Black or White
- 5. ETL & DLC certification
- 6. Options for compatible with Halo, Lightolier or Juno track system.

ltem	Pictures	Description
Family 15W	Correction of the second secon	<ol> <li>Total Power:15W; Input: 100-277V AC</li> <li>Beam angle: 15D/24D/38D/60D</li> <li>Light Source:1350Im±10%</li> <li>CCT:2700K/3000K/4000K;RA&gt;90</li> <li>Size: Φ2-1/2"*6-1/4"*5-1/2"</li> <li>5 years warranty</li> </ol>
Family 20W	C)	<ol> <li>Total Power:15W; Input: 100-277V AC</li> <li>Beam angle: 15D/24D/38D/60D</li> <li>Light Source:1350Im±10%</li> <li>CCT:2700K/3000K/4000K;RA&gt;90</li> <li>Size: Φ2-1/2"*6-1/4"*5-1/2"</li> <li>5 years warranty</li> </ol>
Family 30W		<ol> <li>Total Power: 30W; Input: 100-277V AC</li> <li>Beam angle: 15D/24D/38D/60D</li> <li>Light Source:2700Im±10%</li> <li>CCT:2700K/3000K/4000K;RA&gt;90</li> <li>Size: Φ3"*6-7/8"*5-7/8"</li> <li>5 years warranty</li> </ol>
Family 40W	C)	<ol> <li>Total Power: 40W; Input: 100-277V AC</li> <li>Beam angle: 15D/24D/38D/60D</li> <li>Light Source:3600Im±10%</li> <li>CCT:2700K/3000K/4000K;RA&gt;90</li> <li>Size: Φ3-3/8"*7-1/8"*6-1/4"</li> <li>5 years warranty</li> </ol>



PROJECT:	PREPARED BY:	
PART #	QTY:	
NOTES:	DATE:	



**Item 2---Wind series** 



- 1. Wind series, classical design but looks elegant.
- 2. 20W and 30W with same size.
- 3. Beam angle: 15D/24D/36D/60D;
- 4. Color in Black or White
- 5. ETL certification
- 6. Options for compatible with Halo, Lightolier or Juno track system.

ETL Code Product pictures Description

DT-T7012T-D020W



- 1) Total Power: 20W;
- 2) Input:100-277VAC
- 3) Beam angle: 15D/24D/36D/60D;
- 4) Light Source: 2000 lm  $\pm$  10%
- 5) CCT:2700K/3000K/4000K/5000K;RA>90
- 6) Size: Φ3-1/2"\*5-1/2"\*7-3/4"

DT-P7012G-G030W



- 1) Total Power: 30W;
- 2) Input:100-277VAC
- 3) Beam angle: 15D/24D/36D/60D;
- 4) Light Source:2700lm  $\pm$  10%
- 5) CCT:2700K/3000K/4000K/5000K;RA>90
- 6) Size: Φ3-1/2"\*5-1/2"\*7-3/4"



PROJECT:	PREPARED BY:	
PART #	QTY:	
NOTES:	DATE:	



Item 3----Master series



- 1. Master series, special design.
- 2. 20W. Beam angle: 11D/24D/36D
- 3. Color in Black or White
- 4. ETL & DLC certification
- 5. Options for compatible with Halo, Lightolier or Juno track system.

ETL code

Product pictures





- 1) Total Power: 20W;
- 2) Input:100-277V AC
- 3) Beam angle: 11D/24D/36D;
- 4) Light Source: 1800 lm  $\pm$  10%
- 5) CCT:2700K/3000K/4000K/5000K or customized
- 6) RA>90;Size: Φ3-1/8"\*4-3/8"\*8-1/4"



PROJECT:	PREPARED BY:	
PART #	QTY:	
NOTES:	DATE:	



Item 4---Leica A zoom series



1.Leica A zoom Series 15W,20W
2.Beam angle:15-60° adjustable
3.Housing color in Black or White
4.ETL certification
5.Options for compatible with Halo, Juno or Lightolier track system



1) Total Power: 15W;

- 2) Size: Φ2-3/4"\*7"\*6-1/8";
- 3) CCT:2700K/3000K/4000K/5000K
- 4) Input: 100-277V AC;RA>90
- 5) Light Source: 1350lm  $\pm$  10%
- 6) Beam angle adjustable from 15D to 60D.
- 1) Total Power: 20W;
- 2) Size: Φ2-3/4"\*7"\*6-1/8";
- 3) CCT:2700K/3000K/4000K/5000K
- 4) Input: 100-277V AC;RA>90
- 5) Light Source: 1800 lm  $\pm$  10%
- 6) Beam angle adjustable from 15D to 60D.





PROJECT:	PREPARED BY:	
PART #	QTY:	
NOTES:	DATE:	



Item 5----Rubik series



Ð.

- 1. Rubik series, Square design, 30W(35W max can be made).
- 2. Beam angle: 36D/60D/80D/120D, suit for big furniture using, such as sofa, bed.
- 3. Color in Black or White
- 4. ETL certification
- 5. Options for compatible with Halo or Lightolier track system.





- 1) Total Power:30W;
- 2) Input: 100-277V AC
- 3) Light Source: 2700 lm  $\pm$  10%
- 4) CCT:2700K/3000K/4000K/5000K;RA>90
- 5) Size: 4-7/8"\*4-7/8"\*8-1/8"
- 6) Beam angle:36D/60D/80D/120D





PROJECT:	PREPARED BY:	
PART #	QTY:	
NOTES:	DATE:	



Item 6----Elegant series



- 1. Elegant series,30W.
- 2. Beam angle: 15D/24D/36D/60D;
- 3. Color in Black or White
- 4. ETL certification
- 5. Options for compatible with Halo or Lightolier track system.
- 6. Looks small and elegant, more suitable for ladies & kids' clothes shops







PROJECT:	PREPARED BY:	
PART #	QTY:	
NOTES:	DATE:	







- 1. Strong series,30W,55W
- 2. Beam angle: 15D/24D/36D/60D;
- 3. Color in Black or White
- 4. ETL & DLC certification
- 5. Options for compatible with Halo or Lightolier track system.
- 6. The lighting part with strong design, more suitable for Men's clothes shops.

ETL Code	Pictures	Description
DT-P1213G- G030W		<ol> <li>Total Power:30W;</li> <li>Input:100-277VAC</li> <li>Beam angle:15D/24D/36D/60D;</li> <li>Light Source:2700lm±10%</li> <li>CCT:2700K/3000K/4000K/5000K;RA&gt;90</li> <li>Size: Φ3-3/4"*5-3/8"*7-3/4"</li> </ol>
DT-P1213L- G060W		<ol> <li>Total Power:50W-55W</li> <li>Input:100-277VAC</li> <li>Beam angle:15D/24D/36D/60D;</li> <li>Light Source:4100lm±10%</li> <li>CCT:2700K/3000K/4000K/5000K;RA&gt;90</li> <li>Size: Φ3-3/4"*5-3/8"*7-3/4"</li> </ol>





PROJECT:	PREPARED BY:	
PART #	QTY:	
NOTES:	DATE:	



Item 8----Leica B zoom series



1.Leica B zoom Series 20W,30W
 2.Beam angle:15-60° adjustable
 3.Housing color in Black or White
 4.ETL certification
 5.Options for compatible with Halo or Lightolier track system.



**Pictures** 





- Total Power: 20W;
   Size: Φ2-3/4"\*7"\*6-1/8";
- 3) CCT:2700K/3000K/4000K/5000K
- 4) Input: 100-277V AC;RA>90
- 5) Light Source:  $1800 \text{ Im} \pm 10\%$ 
  - ) Light Source. 1800  $\pm$  10%
- 6) Beam angle adjustable from 15D to 60D.





- 2) Size: Φ2-3/4"\*7"\*6-1/8";
- 3) CCT:2700K/3000K/4000K/5000K
- 4) Input: 100-277V AC;RA>90
- 5) Light Source:2700 $lm \pm 10\%$
- 6) Beam angle adjustable from 15D to 60D.




PROJECT:	PREPARED BY:	
PART #	QTY:	
NOTES:	DATE:	



Item 9----Museum series

ED).



1.Museum series 20W, 30W
2.Beam:from narrow to wide, from round to square and other shapes.
3.Function available: On/Off,Triac dim,Local dim
4.Housing color in Black
5.ETL certification

6.Compatible with Halo or Lightolier track system.

**Pictures** 

ETL Code

DT-T7018T-

**D020W** 



DT-P7018G-G030W

1) Total Power: 20W;

- 2) Size: Φ3"\*12-1/8"\*10-3/8";
- 3) CCT:2700K/3000K/4000K/5000K
- 4) Input: 100-277V AC;RA>90
- 5) Light Source: 1600 lm  $\pm$  10%
- 6) Beam angle: from narrow to wide, from round to square and other shapes.
- 1) Total Power: 30W;
- 2) Size: Φ3"\*12-1/8"\*10-3/8";
- 3) CCT:2700K/3000K/4000K/5000K
- 4) Input: 100-277V AC;RA>90
- 5) Light Source:2400 $lm \pm 10\%$
- 6) Beam angle: from narrow to wide, from round to square and other shapes.





PROJECT:	PREPARED BY:	
PART #	QTY:	
NOTES:	DATE:	



## Item 10---H-type track rail and accessories



H-type track rail Length:2ft,4ft,6ft,8ft Surface mounted or suspension type H-type Feeder and connector

#### Item 10---H-type Track rail and accessories---Quotation Quotation on the basis of 500pcs quantity(<100 pcs add extra 10%),5 years warranty.

ETL code	Pictures	Description
Track rail 2ft		surface mounted, H-type, White/Black
Track rail 4ft		surface mounted, H-type, White/Black
Track rail 6ft		surface mounted, H-type, White/Black
Track rail 8ft	1	surface mounted, H-type, White/Black
Power feeder and end-cap	Se de	H-type, White/Black
I shape connector	Contraction of the second	H-type, White/Black
Mini I shape connector	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	H-type, White/Black
L shape connector	AT A	H-type, White/Black
T shape connector	ALL TR	H-type, White/Black
X shape connector		H-type, White/Black
Suspension kit	2	H-type, for suspension using

