


PROJECT:		PREPARED BY:	
PART #		QTY:	
NOTES:		DATE:	


GC Series PS-200 PORTABLE SITE LIGHT



Portable
Site Light

PS-200

Deployable portable lighting in one bespoke robust package.





UP TO 5000LM

Turbo	5,000LM
Standard	3,000LM
Balanced	1,800LM
Eco	500LM

Application



PROJECT:		PREPARED BY:	
PART #		QTY:	
NOTES:		DATE:	

GC Series PS-200 PORTABLE SITE LIGHT

Ultra-long Endurance

Standard Mode Up To **8+** Hours
(D24-100)


Various working modes.

Eco
45h

Balanced
16h

Standard
8h

Turbo
4h



- IP66
- IK10
- Dimmable
- 360° Lighting
- Light-weight
- Long Working Hour



PROJECT:		PREPARED BY:	
PART #		QTY:	
NOTES:		DATE:	

GC Series PS-200 PORTABLE SITE LIGHT



Placed on any surface or hung up to provide continuous lighting for complex environments.

2KG
Ultra-lightweight and capable of carrying multiple at once.



360-degree lighting that can illuminate all details even in small spaces.

360° lighting



GC Series PS-200 PORTABLE SITE LIGHT

Specifications

PS-200

Weight	2.0kg (Fitting only)
Power Supply	Battery
Lumens	0 - 5,000Lm
Run Times	>8 hours (Standard mode, D24-100)
IP Grade	IP66
Battery System	D24 Series
Working Temp.	-10℃~50℃
Working Humidity	1~98%

Size (mm)



Package

Model	Size of Carton	Gross Weight of Carton	PCS/Carton
PS-200	220x240x500mm	2.3KG±5%	1

