

PROJECT:		PREPARED BY:	
PART #		QTY:	
NOTES:		DATE:	

PRODUCT NAME OR SERIES

ABOUT LT TECHNOLOGY

LT Technology is a supplier of high performance landscape retrofit lamps, fixtures and transformers. Our core team has over 10 years experience on developing and manufacturing landscape lighting system. We have served the clients from North America, Europe, Asia, etc.

OUR PURPOSE



We are passionate about developing excellent quality and innovative idea products at the most cost effective prices. We strive to provide honest customer service to our international business partners.

CONTECTS

MR16.....	3-6	PATH LIGHT.....	27-32
PAR36.....	7-8	WALL WASHING.....	33-34
MR11.....	9-10	IN-GROUND LIGHT.....	35-40
MR8.....	11-12	INTEGRATED FIXTURES.....	41-52
G4.....	13-16	BISTRO LIGHT.....	53-58
BAYONET/WEDGE.....	17-18	REAPER.....	59-60
HARDSCAPE LIGHT.....	19-22	UNDERWATER LIGHT DECK LIGHT	61-64
UP LIGHT.....	23-26	WALL SCORCE DOWN LIGHT	65-67
		TRANSFORMER.....	68-69
		ACCESSORIES.....	

OUR PRODUCTS

We specialize in customizing landscape lighting products and strive to provide customers the Quality Materials, High Performance, Reliability, Aesthetics and unique Features, which make you outstanding and more competitive in the marketplace.



- The MR16 LED lamp has been designed to fit into standard, low voltage, MR16 fixtures.
- These LED's are thermally engineered to operate in enclosed fixture and provides added security by automatically cooling down (and reducing lumens output) only when exposed to extreme heat (air temperatures above 125F).
- In addition, there is no color shift when lumens output is reduced, and the overall lamp life is improved.


LAMP / LT1016A (MR16)



SPECIFICATIONS

Wattage	4/5/6/7W
Lumen	360/450/530/600LM
Beam Spread	15/30/45/60/100°
Operating Range	9-17V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	20/35/50/65W Halogen
Lamp life	50,000 Hours
Warranty	5 years


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



FEATURES

- IP65 Waterproof
- Self-cooling Device
- Fully potted Electronics

DIMENSIONS



LAMP / LT1016C(6 LED)




SPECIFICATIONS

Wattage	5/8W
Lumen	550/850LM
Beam Spread	15/30/45/60°
Operating Range	9-17V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000K
LED Color Available	Red/Green/Blue/Amber
Lamp life	50,000 Hours
Warranty	5 years

FEATURES

- IP65 Waterproof
- Self-cooling Device
- Fully potted Electronics

DIMENSIONS



LT TECHNOLOGY

LAMP / LT1016C(Smart)




SPECIFICATIONS

Part#	LT1016C-B/LT1016C-W
Wattage	6W
Voltage	9-17V AC/DC
CCT	2700-6000K
Color	RGBW
Beam spread	15/30/45/60°
CRI	85
Control mode	Bluetooth or WiFi
Waterproof level	IP65
Warranty	5 years

FEATURES

- WiFi control and Bluetooth control available
- Colors and brightness adjustable by APP
- Download Tuya APP to change lamp settings
- Control system customizable

DIMENSIONS



Powered By



LAMP / LT1036(PAR36)




SPECIFICATIONS

Wattage	6/10/13/17W
Lumen	590/800/1130/1500LM
Beam Spread	30/50°
Operating Range	9-17V AC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	35/50/75/100W Halogen
Lamp life	50,000 Hours
Warranty	5 years


FEATURES

- IP67 Waterproof
- Self-cooling Device
- Fully potted Electronics

DIMENSIONS



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



LAMP / LT1036(Smart)




SPECIFICATIONS

Part#	LT1036-B/LT1036-W
Wattage	10W
Voltage	9-17V AC/DC
CCT	2700-6000K
Color	RGBW
Beam spread	38/60°
CRI	85
Control mode	Bluetooth or WiFi
Waterproof level	IP67
Warranty	5 years

FEATURES

- IP67 Waterproof
- Self-cooling Device
- Fully potted Electronics

DIMENSIONS




Powered By





PROJECT:		PREPARED BY:	
PART #		QTY:	
NOTES:		DATE:	

PRODUCT NAME OR SERIES




LAMP / LT1011(MR11)



SPECIFICATIONS

Wattage	2.5W
Lumen	180LM
Beam Spread	38/60/120°
Operating Range	9-17V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	20W Halogen
Lamp Life	50,000 Hours
Warranty	5 years



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



FEATURES

Fully potted Electronics and IP54 Weatherproof  
Suitable for enclosed fixtures and damp location

DIMENSIONS




LAMP / LT108(MR8)



SPECIFICATIONS

Wattage	2.5W
Lumen	160LM
Beam Spread	38/60/120°
Operating Range	9-17V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	20W Halogen
Lamp Life	50,000 Hours
Warranty	5 years


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




FEATURES

Fully potted Electronics and IP54 Weatherproof  
Suitable for enclosed fixtures and damp location

DIMENSIONS



PROJECT:		PREPARED BY:	
PART #:		QTY:	
NOTES:		DATE:	



- The G4 LED lamp has been designed to fit into standard, low voltage, G4 fixtures.
- These LED's are thermally engineered to operate in enclosed fixture.

13

ledlightingconcepts.com

LT TECHNOLOGY


LAMP / LT104(G4)



SPECIFICATIONS

Wattage	2/3/4W
Lumen	200/300/400LM
Operating Range	9-17V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	20/30/40W Halogen
Lamp life	50,000 Hours
Warranty	5 years


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



FEATURES

- IP65 Waterproof
- Brass Construction
- Fully potted Electronics

DIMENSIONS



LT TECHNOLOGY

14

LAMP



LT104A1

Wattage	2W
Lumen	180LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	20-25W Halogen
Lamp life	25,000 Hours
Warranty	3 years



LT104A2

Wattage	3W
Lumen	270LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	20-25W Halogen
Lamp life	25,000 Hours
Warranty	3 years



LT104A3

Wattage	2W
Lumen	180LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	20-25W Halogen
Lamp life	25,000 Hours
Warranty	3 years

15


LT TECHNOLOGY

LAMP



LT104A4

Wattage	3W
Lumen	270LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	25-30W Halogen
Lamp life	25,000 Hours
Warranty	3 years



LT104A6/LT104A7

Wattage	4W
Lumen	380LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	25-30W Halogen
Lamp life	25,000 Hours
Warranty	3 years



LT104A5

Wattage	2W
Operating Range	12V AC/DC
LED Color Available	Wi-Fi RGB
Lamp life	25,000 Hours
Warranty	3 years

LT TECHNOLOGY

16



PROJECT:		PREPARED BY:	
PART #		QTY:	
NOTES:		DATE:	

PRODUCT NAME OR SERIES


LAMP



LT104W1


Wattage 1W  
Lumen 100LM  
Operating Range 12V AC/DC  
CRI 85  
Color Temperature 2700K-6000K  
LED Color Available Red/Green/Blue/Amber  
Replaces 20-25W Halogen  
Lamp life 25,000 Hours  
Warranty 3 years

LAMP



LT104B1/LT104B2

Wattage 1/3W  
Lumen 100/270LM  
Operating Range 12V AC/DC  
CRI 85  
Color Temperature 2700K-6000K  
LED Color Available Red/Green/Blue/Amber  
Replaces 10-15W/20-25W Halogen  
Lamp life 25,000 Hours  
Warranty 3 years




LT104W2

Wattage 3W  
Lumen 270LM  
Operating Range 12V AC/DC  
CRI 85  
Color Temperature 2700K-6000K  
LED Color Available Red/Green/Blue/Amber  
Replaces 20-25W Halogen  
Lamp life 25,000 Hours  
Warranty 3 years



LT104B3

Wattage 5W  
Lumen 400LM  
Operating Range 12V AC/DC  
CRI 85  
Color Temperature 2700K-6000K  
LED Color Available Red/Green/Blue/Amber  
Replaces 35-40W Halogen  
Lamp life 25,000 Hours  
Warranty 3 years



HARDSCAPE LIGHT

BRASS



LT2701P



Shorter mounting bracket



Wall Anchor


SPECIFICATIONS

Wattage 2/3/4W  
Lumen 200/300/400LM  
Operating Range 9-17V AC/DC  
CRI 85  
Color Temperature WW 2700-3000K  
NW 4000K  
CW 6000K  
LED Color Available Red/Green/Blue/Amber  
Replaces 20W Halogen  
Lamp life 50,000 Hours  
Warranty 5 years

FEATURES

IP65 Waterproof  
Brass Construction  
Fully potted Electronics  
Glare proof  
Modular design and replaceable

DIMENSIONS






PROJECT:	PREPARED BY:
PART #:	QTY:
NOTES:	DATE:

### HARDSCAPE LIGHT

ALUMINUM



LT2701E



Shorter mounting bracket

Wall Anchor


**SPECIFICATIONS**

Wattage	2/3/4W
Lumen	200/300/400LM
Operating Range	9-17V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Replaces	20W Halogen
Lamp life	50,000 Hours
Warranty	5 years

**FEATURES**

- IP65 Waterproof
- Aluminum Construction
- Fully potted Electronics
- Glare proof
- Modular design and replaceable

**DIMENSIONS**



### HARDSCAPE LIGHT

ALUMINUM



LT2702A



LT2702B



LT2702C

**SPECIFICATIONS**

Wattage	0.5/1.5/2.5W
Lumen	50/160/240LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Replaces	20W Halogen
Lamp life	25,000 Hours
Warranty	3 years


**FEATURES**

- IP65 Waterproof
- Aluminum Construction
- Fully potted Electronics

### UP LIGHT



LT2101




LAMP	MR16(not included)
Wattage	Up to 50W
Finish	Bronze
Material	Die-cast Brass
lens	Clear

### UP LIGHT




LT2103



LAMP	MR11(not included)
Wattage	Up to 50W
Finish	Bronze
Material	Die-cast Brass
lens	Clear




LT2102



LAMP	MR16(not included)
Wattage	Up to 50W
Finish	Bronze
Material	Die-cast Brass
lens	Clear



LT2104



LAMP	MR8/Module(not included)
Wattage	Up to 50W
Finish	Bronze
Material	Die-cast Brass
lens	Clear



PROJECT:		PREPARED BY:	
PART #		QTY:	
NOTES:		DATE:	


PRODUCT NAME OR SERIES

UP LIGHT



LT2105

LAMP MR16(not included)  
 Wattage Up to 50W  
 Finish Antique Bronze  
 Material Die-cast Brass  
 lens Clear




25



LT2106

LAMP MR16(not included)  
 Wattage Up to 50W  
 Finish Antique Bronze  
 Material Die-cast Brass  
 lens Clear



LT TECHNOLOGY

UP LIGHT



LT2107

LAMP MR16(not included)  
 Wattage Up to 50W  
 Finish Antique Bronze  
 Material Die-cast Brass  
 lens Clear




LT TECHNOLOGY



LT2108

LAMP MR16(not included)  
 Wattage Up to 50W  
 Finish Antique Bronze  
 Material Die-cast Brass  
 lens Clear



26

PATH LIGHT



LT2401

LAMP G4 (not included)  
 Wattage Up to 50W  
 Finish Antique Bronze  
 Material Solid Brass  
 lens Clear



27



LT2402

LAMP G4 (not included)  
 Wattage Up to 50W  
 Finish Antique Bronze  
 Material Die-cast Brass  
 lens Clear



LT TECHNOLOGY



LT2403

LAMP G4 (not included)  
 Wattage Up to 50W  
 Finish Antique Bronze  
 Material Solid Brass  
 lens Frosted



LT TECHNOLOGY



LT2404

LAMP G4 (not included)  
 Wattage Up to 50W  
 Finish Antique Bronze  
 Material Die-cast Brass  
 lens Clear



28



PROJECT:		PREPARED BY:	
PART #		QTY:	
NOTES:		DATE:	

PRODUCT NAME OR SERIES

PATH LIGHT



PATH LIGHT



LT2405

LAMP G4 (not included)  
Wattage Up to 50W  
Finish Antique Bronze  
Material Solid Brass  
lens Clear




LT2406

LAMP G4 (not included)  
Wattage Up to 50W  
Finish Antique Bronze  
Material Die-cast Brass  
lens Clear



LT2411

LAMP G4 (not included)  
Wattage Up to 50W  
Finish Antique Bronze  
Material Die-cast Brass  
lens Clear



29

LT TECHNOLOGY

LT TECHNOLOGY

30

PATH LIGHT



PATH LIGHT



LT2412

LAMP G4 (not included)  
Wattage Up to 50W  
Finish Antique Bronze  
Material Solid Brass  
lens Clear




LT2413

LAMP G4 (not included)  
Wattage Up to 50W  
Finish Antique Bronze  
Material Die-cast Brass  
lens Clear



LT2414

LAMP G4 (not included)  
Wattage Up to 50W  
Finish Antique Bronze  
Material Die-cast Brass  
lens Clear



31

LT TECHNOLOGY

LT TECHNOLOGY


32



PROJECT:		PREPARED BY:	
PART #:		QTY:	
NOTES:		DATE:	

PRODUCT NAME OR SERIES

WALL WASHING



LT2301


LAMP G4 (not included)  
 Wattage Up to 25W  
 Finish Antique Bronze  
 Material Die-cast Brass  
 lens Clear / Frosted

WALL WASHING




LT2303

LAMP G4 (not included)  
 Wattage Up to 25W  
 Finish Antique Bronze  
 Material Die-cast Brass  
 lens Clear / Frosted



LT2304


LAMP PAR36 (not included)  
 Wattage Up to 50W  
 Finish Antique Bronze  
 Material Die-cast Brass  
 lens Clear



LT2305

LAMP PAR36 (not included)  
 Wattage Up to 50W  
 Finish Antique Bronze  
 Material Die-cast Brass  
 lens Clear

IN-GROUND LIGHT



LT2202A


LAMP MR16 (not included)  
 Wattage Up to 50W  
 Finish Antique Bronze  
 Material Die-cast Brass & PVC  
 lens Clear

IN-GROUND LIGHT




LT2203A

LAMP MR16 (not included)  
 Wattage Up to 50W  
 Finish Antique Bronze  
 Material Die-cast Brass & PVC  
 lens Clear



LT2202B

LAMP MR16 (not included)  
 Wattage Up to 50W  
 Finish Antique Bronze  
 Material Die-cast Brass & PVC  
 lens Clear



LT2203B

LAMP MR16 (not included)  
 Wattage Up to 50W  
 Finish Antique Bronze  
 Material Die-cast Brass & PVC  
 lens Clear






PROJECT:		PREPARED BY:	
PART #:		QTY:	
NOTES:		DATE:	

PRODUCT NAME OR SERIES

INTEGRATED FIXTURES



LT2501

Wattage	1-5W (Adjustable)
Lumen	80-400LM
Voltage	12VAC/DC
CCT	2700-6000K
Beam Spread	160°
Finish	Antique Bronze
Material	Die-cast Brass



LT2502

Wattage	5W
Lumen	550LM
Voltage	12V AC/DC
CCT	2700-6000K
Beam Spread	120°
Finish	Antique Bronze
Material	Die-cast Brass



LT2503

Wattage	2W
Lumen	240LM
Voltage	12V AC/DC
CCT	2700-6000K
Beam Spread	120°
Finish	Antique Bronze
Material	Die-cast Brass

41


LT TECHNOLOGY

INTEGRATED FIXTURES



LT2505

Wattage	3-12W (Adjustable)
Lumen	240-840LM
Voltage	12VAC/DC
CCT	2700-6000K
Beam Spread	24/38/60°
Finish	Antique Bronze
Material	Die-cast Brass




LT2505B

Wattage	12W
Lumen	1440LM
Voltage	12VAC/DC
CCT	Changeable
Beam Spread	24/38/60°
Finish	Antique Bronze
Material	Die-cast Brass

LT TECHNOLOGY

42

INTEGRATED FIXTURES



LT TECHNOLOGY

43



LT2506L

Wattage	6-24W (Adjustable)
Lumen	2000lm (Max)
Voltage	12V AC/DC
CCT	2700-6000K
Beam Spread	20-60°
Finish	Antique Bronze
Material	Die-cast Brass

LT TECHNOLOGY

44






PROJECT:		PREPARED BY:	
PART #		QTY:	
NOTES:		DATE:	

PRODUCT NAME OR SERIES

INTEGRATED FIXTURES



LT2506LB

Wattage	1-10W(Adjustable)
Voltage	12V AC/DC
CCT	2700-6000K
Color	RGBW
Beam spread	20-60°(Adjustable)
CRI	85
Control mode	Bluetooth
Waterproof level	IP67
Warranty	5 years

FEATURES

- Bluetooth control available
- Adjustable and lockble beam angle from 20° to 60°
- RGBW controlled by smart phone
- Download Tuya APP to change the settings
- Dimmable is available in smart control or manually operated

Powered By tuya



45

LT TECHNOLOGY

LT TECHNOLOGY

46


INTEGRATED FIXTURES



ADJUSTABLE WATTAGE



TOOL ACCESSORIES



FRONT

LT2501B

Wattage	2-7W(Adjustable)
Lumen	650lm(Max)
voltage	12V AC/DC
CCT	2700-5000K
Beam Spread	120°
Finish	Antique Bronze
Material	Die-cast Brass

47

LT TECHNOLOGY

LT TECHNOLOGY

48





PROJECT:		PREPARED BY:	
PART #		QTY:	
NOTES:		DATE:	

PRODUCT NAME OR SERIES


SMART BLUETOOTH REPEATER



LT5101

<b>Product Name</b>	Smart Bluetooth Repeater
<b>Operating Voltage</b>	12V AC/DC
<b>Frequency Range</b>	2400-2500 (MHz)
<b>Output Impedance</b>	50 (Ω)
<b>Voltage Standing Wave Ratio</b>	1.8 (dB)
<b>Antenna type</b>	2.4G Bluetooth gain antenna
<b>Operating system</b>	Tuya smart
<b>Maximum coverage radius</b>	80 meters (without any obstacle)
<b>IP Rate</b>	IP 65
<b>Material</b>	Aluminum, PVC
<b>Operating Temperature</b>	-40°C~40°C

DIMENSIONS



59

LT TECHNOLOGY

**INSTRUCTION**

1. Download Tuya App
2. Open App and power the device
3. The first time use, click the switch four times to reset
4. Click the "+" on top right corner, choose "discover automatically", search the devices and add them on.
5. Revise the name of the devices
6. Create the groups for the items that need to be controlled, then it works.


\* The repeater can only be used for the Tuya sig mesh Bluetooth products.

UNDERWATER LIGHT



LT2801

<b>LAMP</b>	MR16(not included)
<b>Wattage</b>	Up to 50W
<b>Finish</b>	Antique Bronze
<b>Material</b>	Die-cast Brass
<b>lens</b>	Clear



61

LT TECHNOLOGY

DECK LIGHT



LT2601

<b>LAMP</b>	G4 (not included)
<b>Wattage</b>	Up to 50W
<b>Finish</b>	Antique Bronze
<b>Material</b>	Die-cast Brass
<b>lens</b>	Frosted



LT TECHNOLOGY

62



PROJECT:		PREPARED BY:	
PART #		QTY:	
NOTES:		DATE:	


PRODUCT NAME OR SERIES

WALL SCNCE



LT2602

LAMP	MR16 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear



LT TECHNOLOGY


63

DOWN LIGHT



LT2603

LAMP	MR16 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Frosted



LT TECHNOLOGY

64

TRANSFORMER



LT3075

Power	75W
Input Voltage	120VAC
Output Voltage	12/15 VAC
Type	Toroidal
Finish	304 Stainless Steel
Size	4.4" x 9.8" x 5"



LT TECHNOLOGY

65

TRANSFORMER



LT3150

Power	150W
Input Voltage	120VAC
Output Voltage	12/13/14/15 VAC
Type	Toroidal
Finish	304 Stainless Steel
Size	6.1" x 13.7" x 5.3"



LT3300

Power	300W
Input Voltage	120VAC
Output Voltage	12/13/14/15 VAC
Type	Toroidal
Finish	304 Stainless Steel
Size	6.1" x 13.7" x 5.3"



LT TECHNOLOGY

66



PROJECT:		PREPARED BY:	
PART #		QTY:	
NOTES:		DATE:	

PRODUCT NAME OR SERIES

TRANSFORMER



◀ LT3600

Power	600W
Input Voltage	120VAC
Output Voltage	12/13/14/15/16/17/18/22 VAC
Type	Toroidal
Finish	304 Stainless Steel
Size	7.44"x 16.1"x 6.5"



LT3900 ▶

Power	900W
Input Voltage	120VAC
Output Voltage	12/13/14/15/16/17/18/22 VAC
Type	Toroidal
Finish	304 Stainless Steel
Size	8.46"x 19"x 7.24"



67

LT TECHNOLOGY

ACCESSORIES



Plastic Stake  
LT401A



Brass Stake  
LT401C



Plastic Stake  
LT401E



Stake Cover  
LT401Z



Brass Tree Mount  
LT402A



Gutter Mount  
LT402C

LT TECHNOLOGY

68

ACCESSORIES



Hex Louvre Lens  
LT403



Timer  
LT407M/LT407D



Brass Locknut  
LT404



Photocell  
LT408



Wire Connector  
LT405



WiFi Socket  
LT409




Brass Riser  
3"/7"/12"/18"/24"  
LT406



Brass Connector  
LT410L

69

LT TECHNOLOGY




PROJECT:		PREPARED BY:	
PART #		QTY:	
NOTES:		DATE:	

PRODUCT NAME OR SERIES



BISTRO LIGHT

IP65



LT6101-12

Wattage	1W
CC1	2200/2700/3000K
LUMENS	75LM
VOLTAGE	12V AC/DC
BASE	MEDIUM (E26)
MATERIAL	Plastic/Glass

LT6101-120

Wattage	1W
CC1	2200/2700/3000K
LUMENS	150LM
VOLTAGE	120V AC
BASE	MEDIUM (E26)
MATERIAL	Plastic/Glass

LT TECHNOLOGY

54

BISTRO LIGHT

IP65




48ft 576inch	24 Sockets	24+1 S14 Bulbs	E26 Base	16/18/20 Stage For Options
-----------------	---------------	-------------------	----------	----------------------------------



55

LT TECHNOLOGY



LT TECHNOLOGY

56





PROJECT:		PREPARED BY:	
PART #		QTY:	
NOTES:		DATE:	

PRODUCT NAME OR SERIES

HOLIDAY LIGHT



**LT6301**  
120V 5MM MINI LED STRING

WATTAGE	14.4W
VOLTAGE	110VAC
LED Color	Red/Yellow
LED QTY.	100LT
WIRE	22AWG CXTW
SIZE	4*4*4mm
PLUG	Normal Plug/Female Plug

HOLIDAY LIGHT



**LT6102-C**

TYPE	C7/C9
WATTAGE	0.5W
VOLTAGE	110VAC
LED Color	Red/Yellow/Green
BASE	E12/E17



**LT6102-M**

TYPE	C7/C9
WATTAGE	0.8W
VOLTAGE	110VAC
Color	Multi-color
BASE	E12/E17



**LT6203**

TYPE	C7/C9
VOLTAGE	110VAC
BASE	E12/E17
SIZE	1000LT/1000FT
WIRE	18AWG SPT-1W



LT6901-A01  
Y SPLITTER



LT6901-A02  
X SPLITTER



LT6901-A03  
1FT lead and IP44 coaxial connection CXTW22#



LT6901-A04  
3FT Commercial string extension cord



LT6901-A05  
Female(Male) plug/ For 18AWG SPT-1 Wire



LT6901-A06  
Stake



LT6901-A07  
Shingle tab

LT TECHNOLOGY

LT TECHNOLOGY

HOLIDAY LIGHT



**LT6301**  
120V 5MM MINI LED STRING

WATTAGE	14.4W
VOLTAGE	110VAC
LED Color	Red/Yellow
LED QTY.	100LT
WIRE	22AWG CXTW
SIZE	4*4*4mm
PLUG	Normal Plug/Female Plug



**LT6102-C**

TYPE	C7/C9
WATTAGE	0.5W
VOLTAGE	110VAC
LED Color	Red/Yellow/Green
BASE	E12/E17



**LT6102-M**

TYPE	C7/C9
WATTAGE	0.8W
VOLTAGE	110VAC
Color	Multi-color
BASE	E12/E17



**LT6203**

TYPE	C7/C9
VOLTAGE	110VAC
BASE	E12/E17
SIZE	1000LT/1000FT
WIRE	18AWG SPT-1W



LT6901-A01  
Y SPLITTER



LT6901-A02  
X SPLITTER



LT6901-A03  
1FT lead and IP44 coaxial connection CXTW22#



LT6901-A04  
3FT Commercial string extension cord



LT6901-A05  
Female(Male) plug/ For 18AWG SPT-1 Wire



LT6901-A06  
Stake



LT6901-A07  
Shingle tab

LT TECHNOLOGY

LT TECHNOLOGY

